

Pesticides And Toxic Substances (H-7506C)

Protecting Endangered Species Interim Measures for Use of Pesticides in Kings County

The federal Endangered Species Act is intended to protect and promote the recovery of animals and plants that are in danger of becoming extinct due to human activities. Under the Act, the U.S. Environmental Protection Agency (U.S. EPA) must ensure that the use of pesticides it registers will not result in harm to the species listed as endangered or threatened by the U.S. Fish and Wildlife Service, or to habitat critical to those species' survival. This program will protect endangered and threatened species from harm due to pesticide use.

The information provided in this bulletin is similar to what U.S. EPA expects to distribute once the Endangered Species Protection Program is in effect. Individuals who use pesticides during this interim period are not legally required to comply with these suggested measures. At the present time, compliance with the requirements specified on the pesticide product labeling will satisfy all legal requirements regarding pesticides and endangered species protection. While these pesticide use conditions do not yet have the force of law, they are being provided now for your use in voluntarily protecting endangered and threatened species.

Your comments are needed regarding the information presented in this publication. Please contact us to let us know whether the information is clear and correct. Also tell us to what extent following the recommended measures would affect your pesticide use program. This information will be considered by U.S. EPA during the final stages of program development.

Please submit comments to:
DPR Pesticide Registration Branch
830 K Street
Sacramento, CA 95814
(916) 324-3881
rmarovich@cdpr.ca.gov
http://www.cdpr.ca.gov/docs/es/index.htm

About This Publication

This publication contains a map of the county including a shaded area where pesticide use should be limited to protect listed species. In the Section List, you will find additional information on the individual species that occur in each section, indexed by county, township, range and section

The Species Descriptions table lists the taxonomic groups for each species. The Active Ingredients tables list certain pesticides and the activity category (mode of action, etc.) of the pesticide and the taxonomic groups they could adversely affect. The use limitations in this bulletin apply only to listed pesticides where the hazard class of the pesticide matches the hazard class (sensitivity of the taxonomic group) of the species that occur in the section where the pesticide will be used. Within a given section, use limitations only apply to sites that are consistent with habitat as noted in the Species Descriptions table. The Use Limitation Codes table indicates which use limitation codes apply to each species. The Use Limitations table translates limitation codes to use limitations.

Does This Information Apply To You? To determine whether this information applies to your use of a pesticide, review the questions below. The information applies only if you answer "yes" to all three of these questions:

- Do you intend to use pesticides within the shaded area on the map (p 3) that is further detailed in the Section List (p 38)? If so, note the species from the Section List.
- Are any of the ingredients included in your pesticide product named in the Active Ingredients tables (p 9, 16, 20, 23, 26)?
- If so, does the hazard class(es) of the pesticide you intend to use match one or more of the taxonomic groups of the species as shown in the Species Descriptions table (p 33)?


If you answer "yes" to all three questions, you should follow the instructions on "How to Use This Information" (p 2) to help protect listed species.

If you answer "no" to any of the above questions, this bulletin does not apply to you.

How to Use This Information

See worksheets for each class of pesticide that you intend to use:


Worksheets	Page
Herbicides	7
Insecticides	14
Fungicides	19
Rodenticides - Grain Baits	22
Rodenticides - Fumigants	25




Terrestrial Species

Aquatic Species (restrictions apply only to aquatic habitats and flowing waters within species distribution- refer to the habitat descriptors in the bulletin for further information)

Overview Map




Detail Map A



Terrestrial Species

Aquatic Species (restrictions apply only to aquatic habitats and flowing waters within species distribution- refer to the habitat descriptors in the bulletin for further information)

Detail Map B



Terrestrial Species

Detail Map C

Worksheet for Herbicides

For each section where you will apply herbicides:

1. Is the section inside of the shaded area on the county map (p 3)? Yes () No () (if yes, or if you are unsure go on to #2, if no, this bulletin does not apply)									
2. Is the section listed in the Section List (p 38)? (if yes, go on to #3, if no, this bulletin does not apply) Yes () No ()									
3. Is the active ingredient of the herbicide(s) you intend to use listed in the Active Ingredients table (p 9-12)? (if yes, go on to #4, if no, this bulletin does not apply) Yes () No ()									
4. For each active ingredient, note the hazard	class and	d activity	y categoi	ry (from the Active Ingredients table).					
herbicide active ingredient(s) (list each)	Activity Category (check one)								
-	AQ () () () () () d, look up	PD () () () () () p the had	() () ()	a b c d e () (ss (taxonomic group) in the Species Descriptions					
table (p 33) and check all that apply.	AQ	PD ()	PM ()						
* *	6. Does one or more hazard class(es) of the herbicide(s) from #4 match the hazard class (taxonomic group) for any								
7. Look up the use limitation codes by hazard class and activity category in the Use Limitation Codes table in this section for each pesticide that you intend to use and check all use limitation codes that apply.									
	Limitation Codes								
11 () 15 ()	16 ()	17 () 19 ()					
8. Follow the use limitations corresponding	g to eacl	h code a	as showi	n in the Use Limitations table (p 28). If more					

8. Follow the use limitations corresponding to each code as shown in the Use Limitations table (p 28). If more than one code applies and there is a conflict, follow the most restrictive limitation. Note that use limits apply only to sites that that match or (where buffer zones apply) are adjacent to sites that match the habitat descriptions in the Species Descriptions table (p 33) for each species.

Active Ingredients Tables

Active ingredients of pesticides covered by this bulletin are listed in separate tables on the following pages by classification as herbicides, insecticides, fungicides or rodenticides. The active ingredients table for each pesticide class specifies the activity category of each active ingredient and one or more hazard classes that are subsequently used to determine appropriate pesticide use limitations.

Herbicide Exposure Categories

Herbicides are grouped by activity categories (a-e) that broadly define mode of action and use patterns that in turn determine potential routes of exposure to listed species. The activity category of an herbicide is the exposure component that is used with the hazard class of the pesticide and the taxonomic group of the species to define which pesticide use limitations (if any) to apply.

Activity Category	Description
a	Broad spectrum foliar active herbicides with systemic or contact activity and without pre-emergent or residual soil activity.
b	Herbicides with foliar activity on broadleaved plants (dicots) only.
c	Herbicides with foliar activity on grasses (monocots) only.
d	Broad spectrum herbicides with residual soil activity.
e	Broad spectrum, seedling stage, pre-emergent herbicides.

	>	Н	lazard Class			
,			Pla	ints		
Active Ingredients	Activity Category	Aquatic Animals (AQ)	Dicot (PD)	Monocot* (PM)		
2,4-D	b		X			
2,4-D, butoxyethanol ester	b	X	X			
2,4-D, dimethylamine salt	b		X			
2-(2,4-DP), dimethylamine salt	b		X			
4(2,4-DB), dimethylamine salt	b		X			
alachlor	d		X	X		
atrazine	d		X	X		
benefin	e	X	X	X		
bensulfuron methyl	d		X	X		
bensulide	d		X	X		
bentazon, sodium salt	a		X	X		
bromacil	d		X	X		
bromoxynil	a	X	X	X		
butylate	d		X	X		
cacodylic acid	a		X	X		
carfentrazon-ethyl	a		X	X		
chlorsulfuron	d		X			
chlorthal-dimethyl	e		X	X		
clethodim	c			X		
clopyralid	b		X			
copper	a	X				
copper ethanolamine complex	a	X				

^{*} and gymnosperms

	Ŋ	На	azard Clas	SS	
			Plants		
Active Ingredients	Activity Category	Aquatic Animals	Dicot	Monocot*	
copper sulfate (basic)	a	X			
copper sulfate pentahydrate	a	X			
cyanazine	d		X	X	
cycloate	d		X	X	
desmedipham	e		X	X	
dicamba, dimethylamine salt	b		X		
dichlobenil	d		X	X	
diclofop-methyl	c	X		X	
difenzoquat methyl sulfate	a			X	
diquat dibromide	a		X	X	
dithiopyr	d	X	X	X	
diuron	d		X	X	
endothall, dipotassium salt	d		X	X	
endothall, mono [N,N-dimethyl	d		X	X	
alkylamine] salt					
EPTC	d		X	X	
ethafluralin	e	X	X	X	
ethofumesate	d		X	X	
fenoxaprop	c			X	
fluazifop-butyl	c			X	
glufosinate	a		X	X	
halosulfuron	d		X	X	
imazethapyr	d		X	X	
isoxaben	d		X	X	

^{*} and gymnosperms

).	Ha	zard Clas	S
	Activity Category		Plan	its
Active Ingredients		Aquatic Animals (AQ)	Dicot (PD)	Monocot* (PM)
glyphosate, isopropylamine salt	a		X	X
glyphosate, monoammonium salt	a		X	X
hexazinone	d		X	X
imazapyr	d		X	X
linuron	d		X	X
MCPA, dimethylamine salt	b		X	
MCPP, dimethylamine salt	b		X	
metalochlor	d		X	X
metam-sodium	d	X	X	X
metribuzin	d		X	X
molinate	d		X	X
MSMA	a		X	X
napropamide	d		X	X
nicosulfuron	a		X	X
nonanoic acid	a		X	X
norflurazon	d		X	X
oryzalin	e		X	X
oxadiazon	e	X	X	X
oxyfluorfen	e	X	X	X
paraquat dichloride	a		X	X
pebulate * and gymnosperms	e		X	X

^{*} and gymnosperms

	ory	Н	azard Cla	SS
	atego		Pla	nts
Active	Activity Category	Aquatic		
Ingredients	Activ	Animals (AQ)	Dicot (PD)	Monocot* (PM)
pendimethalin	e	X	X	X
petroleum hydrocarbons	a		X	X
petroleum oil, unclassified	a		X	X
phenmedipham	b		X	
prometon	d		X	X
prometryn	d		X	
pronamide	d		X	X
propanil	a		X	X
pyrazon	d		X	X
pyrithiobac	b		X	
rimsulfuron	d		X	X
sethoxydim	c			X
simazine	d		X	X
sulfometuron, methyl	d		X	X
tebuthiuron	d		X	X
thiazopyr	d		X	X
thiobencarb	a		X	X
triclopyr, butoxyethyl ester	b	X	X	
triclopyr, triethylamine salt	b		X	
trifluralin	e	X	X	X

^{*} and gymnosperms

Use Limitation Codes (Herbicides)

The following table identifies use limitation codes for each combination of hazard class (AQ, PM or PD) and herbicide activity category (a-e). Use the hazard class row(s) that corresponds with both (1) the pesticide (from the Active Ingredients table) and (2) the hazard class (taxonomic group) of the species in the section to be treated (as found in the Species Descriptions table) and the activity category column(s) that corresponds with the herbicide(s) you intend to use. If either (1) the hazard class (taxonomic group) of one or more species does not match at least one of the hazard class(es) of the herbicide you intend to use or (2) if the combination of activity category and hazard class results in a double dash (--), then no use limitations apply. Note all applicable codes (11-19). These codes are translated in the Use Limitations table (p 28)

Hazard	Herbicide Activity Category							
Class	a	b	С	d	e			
AQ	11, 17	11, 17	11, 17	11, 15, 16, 17	11, 17			
PM	11, 17		11, 17	11, 16, 17, 19	11			
PD	11, 17	11, 17		11, 16, 17, 19	11			

Insecticides

Worksheet for Insecticides

For each section where you will apply insecticides:

1 (or each section where you will apply misec	diciaes.								
1.	1. Is the section inside of the shaded area on the county map (p 3)? Yes () No () (if yes, or if you are unsure go on to #2, if no, this bulletin does not apply)									
2.	Is the section listed in the Section Lis (if yes, go on to #3, if no, this bulleting		Yes ()	No ()						
3.	Is the active ingredient of the insection (if yes, go on to #4, if no, this bulleting			to use l		e Active Ingredi Yes () No (-	6-17)?		
4.	For each active ingredient, note the haza	ırd class an	d activi	ty catego	ory (from th	ne Active Ingredi	ents table).			
	insecticide active ingredient(s) (list each)		zard Cl k all tha	lass t apply)		Activity Category				
		AQ	AV	IN	PD	<u> </u>	İ			
		()	()	()	()		x)			
		()				1	x)			
		()	()	()	()	(x)			
		()	()	()	()	(x)			
		()	()	()	()		x)			
5.	For each species in the section to be treatable (p 33) and check all that apply.	ated, look ı	ıp the ha	azard cla	ass (taxono	mic group) in the	Species Descr	riptions		
		AQ	AV	IN	PD					
		()	()	()	()					
6.	Does one or more toxicity class of the in species from #5? (if yes to any, go on						c group) for an es () No (-		
7.	Look up the use limitation codes by h section for each insecticide that you in							le in this		
		Limit	ation C	odes						
	10 ()	15 ()	16 ()	17 ()				

8. Follow the use limitations corresponding to each code as shown in the Use Limitations table (p 28). If more than one code applies and there is a conflict, follow the most restrictive limitation. Note that use limits apply only to sites that that match or (where buffer zones apply) are adjacent to sites that match the habitat descriptions in the Species Descriptions table (p 33) for each species.

Activity Categories of Insecticides

There is currently only one activity category for insecticides.

Activity Category	Description
i	Insecticides applied by any method

Active Ingredients (Insecticides)

	gory	Hazard Class					
Active Ingredients	Activity Category	Aquatic (AQ)	Avian (AV)	Insects (IN)	Plants-Dicot* (PD)		
acephate	i			X	X		
aldicarb	i	X	X				
amitraz	i	X		X			
avermectin	i	X		X	X		
azinphos-methyl	i	X	X	X	X		
Bacillus thuringiensis	i			X**			
bendiocarb	i	X	X	X	X		
bifenthrin	i	X		X	X		
buprofezin	i	X		X	X		
carbaryl	i	X		X	X***		
carbofuran	i	X	X	X	X		
carbophenothion	i	X	X	X	X		
chlorfenapyr	i	X		X	X		
chlorpyrifos	i	X	X	X	X		
cyfluthrin	i	X		X	X		
cypermethrin	i	X		X	X		
cyromazine `	i			X	X		
diazinon	i	X	X	X	X		
dicofol	i	X	X	X	X		
dicrotophos	i	X	X	X	X		
diflubenzuron	i	X	X	X			
disulfoton	i	X	X	X	X		
endosulfan	i	X	X	X	X		
esfenvalerate	i	X		X	X		
ethion	i	X		X			
ethoprop	i	X	X	X	X		
fenitrothion	i	X	X	X	X		

^{*} Non-granular formulations, only when in bloom, to avoid possible adverse impacts on pollination.

^{**} Different strains of Bacillus thuringiensis are selective for different insects. Most strains target Lepidopterous pests only. See your county agricultural commissioner for details.

^{***} Except XLR formulation.

Active Ingredients (Insecticides)

	jory	Hazard Class						
Active Ingredients	Activity Category	Aquatic (AQ)	Avian (AV)	Insects (IN)	Plants-Dicot* (PD)			
fenpropathrin	i	X		X	X			
fenthion (livestock use)	i	X	X					
fenvalerate	i	X		X	X			
fluvalinate	i	X		X	X			
fonofos	i	X	X	X	X			
imidacloprid	i			X	X			
malathion	i	X		X	X			
methamidophos	i		X	X	X			
methidathion	i	X	X	X	X			
methiocarb	i		X		X			
methomyl	i	X	X	X	X			
methyl parathion	i	X	X	X	X			
mevinphos	i	X	X		X			
naled	i	X		X	X			
oxamyl	i	X	X	X	X			
oxydemeton-methyl	i	X	X	X	X			
parathion	i	X	X	X	X			
permethrin	i	X		X	X			
phorate	i	X	X	X	X			
phosmet	i	X		X	X			
profenphos	i	X		X	X			
propargite	i	X		X				
pyrethrin	i	X		X	X			
pyriproxyfen	i	X		X				
spinosad	i			X	X			
tebufenozide	i	X		X	X			
temephos	i	X	X	X	X			
terbufos	i	X	X	X	X			
thiodicarb (1)	i	X		X	X			
tralomethrin (1)	i	X		X	X			
trichlorfon (2)	i	X		X				

Use Limitation Codes for Insecticides

The following table identifies use limitation codes for each combination of toxicity class (AQ, AV or IN) and activity category (i). Use the hazard class row that corresponds with the taxonomic group(s) of species in the section to be treated. Note all applicable codes (11-17). The double dash (- -) indicates that no use limitations apply. These codes are translated in the Use Limitations table (p 28).

	Insecticide Activity Category
Hazard Class	i
AQ	10, 15, 16, 17
AV	10, 17
IN	10, 17
PD	10

Fungicides

Worksheet for Fungicides

For each section	where vo	ou will an	ply fur	gicides:
1 of cacif section	*******	ou will up	pry run.	gioraco.

1.	Is the section inside of the shaded area on the county map (p 3)? Yes (if yes, or if you are unsure go on to #2, if no, this bulletin does not apply))	No	()	
2.	Is the section listed in the Section List (p 38)? (if yes, go on to #3, if no, this bulletin does not apply)		Ye	s ()	No ()	
3.	Is the active ingredient of the fungicide(s) you intend to use listed in the Active (if yes, go on to #4, if no, this bulletin does not apply) Yes		•	_		•	20)?
4.	For each active ingredient, note the hazard class and activity category (from the Ac	tiv	e I	ngre	edie	nts table).	

fungicide active ingredient(s) (list each)	Hazard Class	Activity Category
	AQ	f
	(x)	(x)
	(x)	(x)

5. For each species in the section to be treated, look up the hazard class (taxonomic group) in the Species Descriptions table (p 33) and check all that apply.

AQ (x)

- 6. Does one or more hazard class of the fungicide(s) from #4 match the hazard class (taxonomic group) for any of the species from #5? (if yes to any, go on to #7, if no, this bulletin does not apply) Yes () No ()
- 7. Look up the use limitation codes by hazard class and activity category in the Use Limitation Codes table in this section for each fungicide that you intend to use and check all use limitation codes that apply.

Limitation Codes

10 (x) 15 (x) 16 (x) 17 (x)

8. Follow the use limitations corresponding to each code as shown in the Use Limitations table (p 28). If more than one code applies and there is a conflict, follow the most restrictive limitation. Note that use limits apply only to sites that that match or (where buffer zones apply) are adjacent to sites that match the habitat descriptions in the Species Descriptions (p 33) table for each species.

Active Ingredients (Fungicides)

)ry	Hazard Class
Active Ingredients	Activity Category	Aquatic (AQ)
Azoxystrobin	f	X
Benomyl	f	X
Captan	f	X
Carboxin	f	X
Chlorothalonil	f	X
Copper	f	X
Copper Ammonium Carbonate	f	X
Copper Ammonium Complex	f	X
Copper Hydroxide	f	X
Copper Octanoate	f	X
Copper Oxychloride	f	X
Copper Oxychloride Sulfate	f	X
Copper Salts of Fatty and Rosin Acids	f	X
Copper Sulfate (Basic)	f	X
Copper Sulfate (Pentahydrate)	f	X
Dazomet	f	X
Difenoconazole	f	X
Dimethomorph	f	X
Fenbuconazole	f	X
Fludioxonil	f	X
Mancozeb	f	X
Maneb	f	X
Manganese Sulfate	f	X
Oxythioquinox	f	X
PCNB	f	X
Piperalin	f	X
Propiconazole	f	X
Tebuconazole	f	X
Thiabendazole	f	X
Thiram	f	X
Triflumizole	f	X
Ziram	f	X
Zineb	f	X

Use Limitation Codes for Fungicides

The following table identifies use limitation codes for the hazard class (AQ) and fungicide activity category (f). Note all applicable codes (10-17). These codes are translated on page 28.

	Fungicide Activity Category
Hazard Class	\mathbf{f}
AQ	10, 15, 16, 17

Rodenticides - Grain Baits

Worksheet for Grain Bait Rodenticides

For each section where you will apply grain bait rodenticides:

1. Is the section inside of the shaded area on the county map (p 3)? (if yes, or if you are unsure go on to #2, if no, this bulletin does not approximately	Yes () No () pply)
2. Is the section listed in the Section List (p 38)? (if yes, go on to #3, if no, this bulletin does not apply)	Yes () No ()
3. Is the active ingredient of the pesticide(s) you intend to use listed in the (if yes, go on to #4, if no, this bulletin does not apply)	he Active Ingredients table (p 23) Yes () No ()
4. For each active ingredient, note the hazard class and activity category (from	m the Active Ingredients table).

Rodenticide active ingredient(s) (list each)			Haza	ard Cla	ass	Activity Category		
	BB () () () () ()	CB () () () ()		HM () () () ()		KR () () () ()	LH () () () ()	g h k ()()() ()() ()()() ()()()

5. For each species in the section to be treated, look up the hazard class (taxonomic group) in the Species Descriptions table (p 33) and check all that apply.

- 6. Does one or more hazard class of the pesticide(s) from #4 match the hazard class (taxonomic group) for any of the species from #5? (if yes to any, go on to #7, if no, this bulletin does not apply) Yes () No ()
- 7. Look up the use limitation codes by hazard class and activity category in the Use Limitation Codes table in this section for each pesticide that you intend to use and check all use limitation codes that apply.

Limitation Codes

8. Follow the use limitations corresponding to each code as shown in the Use Limitations table (p 28). If more than one code applies and there is a conflict, follow the most restrictive limitation. Note that use limits apply only to sites that that match or (where buffer zones apply) are adjacent to sites that match the habitat descriptions in the Species Descriptions table (page 33) for each species.

Active Ingredients (Rodenticides)

			Hazard Class						
Active Ingredients	Activity Category	Bait Box (BB)	Carni- vorous Birds (CB)	Grani- vorous Birds (GB)	Salt Marsh Harvest Mouse (HM)	Kit Fox (KF)	Kangaroo Rats (KR)	Very Limited Habitat (LH)	
Brodifacoum Bromadiolone Bromethalin Chlorophacinone Difenacoum Difethialone Diphacinone Pival Vitamin D3 Warfarin	k k g k k g k k	X X X X X X X X	X X X X X X X X	X X X X X X X X	X X X X X X X X	X X X X X X X X	X X X X X X X X	X X X X X X X X	

Activity Categories of Grain Bait Rodenticides

Activity Category	Description
g	Field use chronic toxicant grain bait
h	Field use acute toxicant grain bait
k	Structural use rodenticide

Use Limitation Codes for Rodenticide Grain Baits

The following table identifies use limitation codes for each combination of hazard class (BB, CB, etc.) and rodenticide activity category (g-k). Use the row(s) that corresponds with the hazard class (taxonomic group) of the species in the section to be treated and the rodenticide activity column(s) that corresponds with the rodenticide(s) you intend to use. Note all applicable codes (1-34). The double dash (--) indicates that no use limitations apply. These codes are translated in the Use Limitations table (p 28)

Hazard	Rodenticide Grain Bait Activity Category								
Class	g	k							
BB	7	7	7						
СВ	1D		7						
GB	1B, 1C	1B, 1C	7						
НМ	7 or 34	7 or 34	7						
KF	1, 2, 3, 4	3	7						
KR	8	8	7						
LH	33	33	33						

Rodenticides - Fumigants

Worksheet for Fumigant Rodenticides

For each section where you will apply fumigant rodenticides:

1.	Is the section inside of the shaded area on the county map (p 3)?	Yes () No ()
	(if yes, or if you are unsure go on to #2, if no, this bulletin does not apply)	

- 2. Is the section listed in the Section List (p 38)? Yes () No () (if yes, go on to #3, if no, this bulletin does not apply)
- 3. Is the active ingredient of the pesticide(s) you intend to use listed in the Active Ingredients table (p 26)? (if yes, go on to #4, if no, this bulletin does not apply)

 Yes () No ()
- 4. For each active ingredient, note the hazard class and activity category (from the Active Ingredients table).

Rodenticide active ingredient(s) (list each)		Hazard Class				Activity Category
;	S 1	S 2	LH	WW	FS	, j
	(x)	(x)	(x)	(x)	(x)	(x)
	(x)	(x)	(x)	(x)	(x)	(x)
	(x)	(x)	(x)	(x)	(x)	(x)
	(x)	(x)	(x)	(x)	(x)	(x)
	(x)	(x)	(x)	(x)	(x)	(x)

5. For each species in the section to be treated, look up the hazard class (taxonomic group) in the Species Descriptions table (p 33) and check all that apply.

- 6. Does one or more hazard class of the pesticide(s) from #4 match the hazard class (taxonomic group) for any of the species from #5? (if yes to any, go on to #7, if no, this bulletin does not apply) Yes () No ()
- 7. Look up the use limitation codes by hazard class and activity category in the Use Limitation Codes table in this section for each pesticide that you intend to use and check all use limitation codes that apply.

Limitation Codes

5 () 30 () 31 () 32 () 33 ()

8. Follow the use limitations corresponding to each code as shown in the Use Limitations table (p 28). If more than one code applies and there is a conflict, follow the most restrictive limitation. Note that use limits apply only to sites that that match or (where buffer zones apply) are adjacent to sites that match the habitat descriptions in the Species Descriptions table (p 33) for each species.

Active Ingredients (Rodenticides - Burrow Fumigants)

		Hazard Class				
Active Ingredients	Activity Category	Seasonal Limitation 1 (S1)	Seasonal Limitation 2 (S2)	Limited Habitat (LH)	Waterways (WW)	Fossorial (Burrowing) Species (FS)
Acrolein Aluminum phosphide Magnesium phosphide Sodium Nitrate	j j j	X X X X	X X X X	X X X X	X X X X	X X X X
Potassium Nitrate	j	X	X	X	X	X

Activity Categories of Burrow Fumigant Rodenticides

Activity Category	Description
j	Burrow Fumigants

Use Limitation Codes for Fumigant Rodenticides

The following table identifies use limitation codes for each combination of hazard class (S1, S2, etc.) and fumigant rodenticide activity category (j). Use the hazard class row(s) that corresponds with the hazard class of the species (taxonomic group) in the section to be treated and the herbicide activity column(s) that corresponds with the fumigant(s) you intend to use. Note all applicable codes (5-32). These codes are translated in the Use Limitations table (p 28).

	Fumigant Rodenticide Activity Category
Hazard Class	j
S1	31, 5
S2	32, 5
LH	33
WW	30
FS	5

1A	Bait station applications: Formulation: The active ingredient shall not exceed 0.005% in the formulated bait.
1B	Bait Station Design and Use: Bait stations shall be designed with an opening that prevents access to non-target species (not to exceed 3") and controls bait spillage by feeding rodents. See your county agricultural commissioner for recommended designs and suggestions to retrofit existing stations. Bait stations shall be secured (e.g. staked) upright to prevent tipping and access by non-target animals. Bait stations shall not be filled beyond design capacity and in no case shall bait stations be filled with more than 10 lbs of bait.
1C	Station Monitoring: While treated baits are in use, bait stations shall be inspected for spillage, evidence of disturbance by non-target animals, excess moisture from irrigation systems, etc. Problems shall be corrected before baiting is resumed. Any spilled baits shall be promptly cleaned up (scattering limitied quantities of spilled bait in non-crop areas is acceptable if allowed by labeling). Bait stations shall be replenished with treated baits as needed to provide continuous exposure. After treated baits are accepted, as evidenced by consumption of baits, depletion of bait in the bait station shall be inspected at least weekly for depletion of bait and refilled until feeding ceases. Treated baits shall be promptly removed (or bait stations shall be sealed) from all stations after feeding has ceased. If subsequent baiting is needed, a two week period without use of treated baits shall be observed before baiting is resumed. This is to keep the period when treated bait is exposed to a minimum without jeopardizing good pest control.
1D	Carcass Survey and Disposal: Carcass survey and disposal shall be performed in the treated area beginning on the third day following the initial exposure of toxic baits. Any exposed carcasses shall be disposed of (e.g., completely buried) in a manner inaccessible to wildlife. Carcass surveys shall continue for at least 5 days after toxic baiting has ceased and thereafter until no more carcasses are found. Carcasses should be handled with care to avoid contact with parasites such as fleas.
1 E	Pre-baiting (optional): Pre-baiting of bait stations with non-toxic (untreated) grains such as oats, oat groats or barley is optional, but may reduce the time period for carcass surveys. Pre-baiting will acclimate the pest species to feed in bait stations and should be continued until most of the target population is feeding from the stations. The period of toxic bait exposure may be shortened as will the period when pest carcasses may be exposed. The untreated grain need not be the same as the treated grain, but milo or cracked corn should be strictly avoided due to their attractiveness to birds.

2A	Broadcast (mechanical) and spot (hand) applications Formulation: The active ingredient shall not exceed 0.01% in the formulated bait.
2B	Test Baiting/Bait Acceptance: Prior to the main application of toxic baits by spot or broadcast method, a small amount of the bait shall be applied to determine bait acceptance Test baits shall be broadcast by the same method that will be used for control baiting.
2C	 Use of Treated Baits: Use of treated baits shall begin only when bait acceptance is confirmed by consumption of test baits. Piling of baits shall be avoided. No addi-tional applications shall be made whenever significant quantities of previously applied bait remain. Do not place baits directly into burrows. Do not exceed label application rates. Spot Baiting - Scatter a handful of bait (about 10 handfulls per pound) evenly over 40 to 50 square feet near active burrows or runways. Repeat every other day until feeding ceases. Mechanical Spreader - Apply at the rate of 10 pounds per swath acre through infested area. Follow with a second application in 2 to 3 days.
2D	Carcass Survey and Disposal: See Limitation Code 1D.
3	Use of pelletized formulations for control of ground squirrels is prohibited, except in bait stations as described in Limitation Code 1 (A, B, C, E).
4	Jackrabbits may be controlled by using self-dispensing bait stations provided that: Bait acceptance is first determined. Carcasses are removed and stations are monitored as described in Limitation Codes 1C and 1D respectively. Baiting ceases when feeding stops. Baits are placed only where jackrabbits are active. Use of pelletized baits is prohibited.

5	Use shall be supervised by a person (wildlife biologist, county agricultural commissioner, university extension advisor, state or federal official or others) who is trained to distinguish dens and burrows of target species from those of non-target species. Use shall occur only in the active burrows of target species. The person responsible for supervision shall be aware of the conditions at the site of application and be available to direct and control the manner in which applications are made (per Section 6406 of Title 3, California Code of Regulations). Contact your county agricultural commissioner for information on training.
7	For commensal rodent control, outdoor use must be in tamper resistant bait boxes placed in areas inaccessible to wildlife.
8	Use is prohibited EXCEPT under any ONE of the following conditions (in all cases where toxic baits are applied, any spilled baits shall be immediately removed or buried to prevent exposure to non-target species): For commensal rodent control, outdoor use must be in tamper resistant bait boxes placed in areas inaccessible to wildlife. An approved bait station (see yourcounty agricultural commissioner for approved designs) is used that is fitted with an entrance that provides selective access to pest species but does not allow access to kangaroo rats, OR Bait is placed only in bait stations that are elevated to preclude exposure to kangaroo rats, and designed to prevent spillage by rodents feeding (see your county agricultural commissioner for specifications), OR Baits are placed in bait stationsduring daylight hours only and are removed (or entrances are closed) by dusk each day, OR Broadcast application of baits is allowed in fields under active cultivation with the maintenance of a 10 yard wide border of untreated crops where fields are adjacent to areas of natural vegetation. For purposes of this provision, fields under active cultivation means fields that have been tilled within the last one year or that such fields are irrigated by furrow, flood or overlapping sprinkler method.
10	Do not use in currently occupied habitat (see Species Descriptions table for possible exceptions).

Code	Limitation
11	Do not use in currently occupied habitat except: (1) as specified in Habitat Descriptors, (2) in organized habitat recovery programs, or (3) for selective control of invasive exotic plants.
15	Provide a 20 foot minimum strip of vegetation (on which pesticides should not be applied) along rivers, creeks, streams, wetlands, vernal pools and stock ponds or on the downhill side of fields where run-off could occur. Prepare land around fields to contain run-off by proper leveling, etc. Contain as much water "on-site" as possible. The planting of legumes, or other cover crops for several rows adjacent to off-target water sites is recommended. Mix pesticides in areas not prone to run-off such as concrete mixing/loading pads, disked soil in flat terrain or graveled mix pads, or use a suitable method to contain spills and/or rinsate. Properly empty and triple-rinse pesticide containers at time of use.
16	Conduct irrigations efficiently to prevent excessive loss of irrigation waters through run-off. Schedule irrigations and pesticide applications to maximize the interval of time between the pesticide application and the first subsequent irrigation. Allow at least 24 hours between application of pesticides listed in this bulletin and any irrigation that results in surface run-off into natural waters. Time applications to allow sprays to dry prior to rain or sprinkler irrigations. Do not make aerial applications while irrigation water is on the field unless surface run-off is contained for 72 hours following the application.
17	For sprayable or dust formulations: when the air is calm or moving away from habitat, commence applications on the side nearest the habitat and proceed away from the habitat. When air currents are moving toward habitat, do not make applications within 200 yards by air or 40 yards by ground upwind from occupied habitat. The county agricultural commissioner may reduce or waive buffer zones following a site inspection, if there is an adequate hedgerow, windbreak, riparian corridor or other physical barrier that substantially reduces the probability of drift.
19	Do not apply within 30 yards upslope of habitat unless a suitable method is used to contain or divert runoff waters.

30	Use is prohibited within 500 feet of water courses at any time, EXCEPT a) in cultivated areas
31	Use is prohibited from October 1 through April 30, EXCEPT: a) in cultivated areas, or b) on the water side of water supply channels
32	Use is prohibited from July 1 through February 28, EXCEPT: a) in cultivated areas, or b) on the water side of water supply channels.
33	Use is prohibited EXCEPT with a prior site evaluation by the county agricultural commissioner in cooperation with the California Department of Fish and Game and the U.S. Fish and Wildlife Service.
34	For commensal rodent control, outdoor use near salt marshes is limited to sites that are separated by at least 10 yards of barren (or clean cultivated) ground from pickleweed habitat or from the inland side of the levee. This buffer strip should be above the high tide line.

BLUNT-NOSED LEOPARD LIZARD



Scientific Name: GAMBELIA SILA

Federal Status: Endangered

Species Description:

A relatively large lizard (to 4.5 inches from snout to vent) with a long, regenerative tail. It is multicolored with a striping pattern on its back, which

breaks into spots as the lizard grows.

Photo: B. "Moose" Peterson/WRP

Habitat Description:

SEEKSCOVER IN MAMMAL BURROWS, UNDER SHRUBS OR STRUCTURES SUCH AS FENCE POSTS; THEY DO NOT EXCAVATE THEIR OWN BURROWS. RESIDENT OF SPARSELY VEGETATED ALKALI AND DESERT SCRUB HABITATS, IN AREAS OF LOW TOPOGRAPHIC RELIEF.

Hazard Class: FS

CALIFORNIA JEWEL-FLOWER



Scientific Name: CAULANTHUS CALIFORNICUS

Federal Status: Endangered

Species Description:

Annual to 1.5 feet with much branching, buds maroon turning translucent white, appearing Feb-March continuing until May depending on moisture.


Photo: B. "Moose" Peterson/WRP

Habitat Description:

HISTORICAL FROM VARIOUS VALLEY HABITATS IN BOTH CENTRAL V. AND CARRIZO PLAIN. 65-900M. CHENOPOD SCRUB, VALLEY AND FOOTHILL GRASSLAND, PINYON JUNIPER WOODLAND.

Hazard Class: PD

FRESNO KANGAROO RAT



Scientific Name: DIPODOMYS NITRATOIDES EXILIS

Federal Status: Endangered

Species Description:

A nocturnal rodent distinguished from other kangaroo rats by the presence of four toes on its hind foot; the other species in the area have five toes. The Fresno kangaroo rat is the smallest of the three subspecies weighing 1 to 2

Photo: B. "Moose" Peterson/WRP

Habitat Description:

BARE ALKALINE CLAY-BASED SOILS SUBJECT TO SEASONAL INUNDATION, WITH MORE FRIABLE SOIL MOUNDS AROUND SHRUBS & GRASSES. ALKALI SINK-OPEN GRASSLAND HABITATS IN WESTERN FRESNO COUNTY.

Hazard Class: FS, KR

GIANT KANGAROO RAT



Scientific Name: DIPODOMYS INGENS

Federal Status: Endangered

Species Description:

A nocturnal rodent, largest of the genus, measuring up to 13 inches from nose to end of tail.

Photo: B. "Moose" Peterson/WRP

Habitat Description:

NEED LEVEL TERRAIN & SANDY LOAM SOILS FOR BURROWING. ANNUAL GRASSLANDS ON THE WESTERN SIDE OF THE SAN JOAQUIN VALLEY, MARGINAL HABITAT IN ALKALI SCRUB.

Hazard Class: FS, KR

SAN JOAQUIN KIT FOX



Scientific Name: VULPES MACROTIS MUTICA

Federal Status: Endangered

Species Description:

Large ears, slender body to 20 in. long and 12 in. shoulder height, 12" bushy cylindrical tail tapering toward the tip, average weight 4.6 to 5.0 pounds, light buff gray pelage on back, white underneath, black tipped tail.

Photo: Bernard Peyton

Habitat Description:

NEED LOOSE-TEXTURED SANDY SOILS FOR BURROWING, AND SUITABLE PREY BASE. ANNUAL GRASSLANDS OR GRASSY OPEN STAGES WITH SCATTERED SHRUBBY VEGETATION.

Hazard Class: FS, KF

SAN JOAQUIN WOOLLYTHREADS



Scientific Name: LEMBERTIA CONGDONII

Federal Status: Endangered

Species Description:

A small, inconspicuous plant with 3" trailing stems, 1-1/2" long and 1/4" wide leaves with wavy edges and covered with soft, white wooly hairs, tiny yellow flowers in February or March.


Photo: B. "Moose" Peterson

Habitat Description:

ALKALINE OR LOAMY PLAINS; SANDY SOILS, OFTEN WITH GRASSES AND WITHIN CHENOPOD SCRUB. 55-835M. CHENOPOD SCRUB AND VALLEY AND FOOTHILL GRASSLAND. ENDEMIC TO SAN JOAQUIN VALLEY.

Hazard Class: PD

STEELHEAD TROUT (CCV-ESU)



Scientific Name: ONCHORYNCHUS MYKISS

Federal Status: Threatened

Species Description:

A genetically distinct and evolutionarily significant anadromous or

freshwater fish related to rainbow and cutthroat trout.

Photo: NMFS

Habitat Description:

COASTAL STREAMS

Hazard Class: AQ

TIPTON KANGAROO RAT



Scientific Name: DIPODOMYS NITRATOIDES NITRATOIDES

Federal Status: Endangered

Species Description:

A nocturnal, buff-colored rodent with a white underside, white stripe on hip and each side of its tail, and dark stripe across its nose, head and body measure up to 4.33 inches combined with the tail adding 5 inches, with large head and eyes.

Photo: B. "Moose" Peterson/WRP

Habitat Description:

NEEDS SOFT FRIABLE SOILS WHICH ESCAPE SEASONAL FLOODING. DIGS BURROWS IN ELEVATED SOIL MOUNDS AT BASES OF SHRUBS. SALTBRUSH SCRUB AND SINK SCRUB COMMUNITIES IN THE TULARE LAKE BASIN OF THE SOUTHERN SAN JOAQUIN VALLEY.

Hazard Class: FS, KR

WESTERN SNOWY PLOVER



Scientific Name: CHARADRIUS ALEXANDRINUS NIVOSUS (NESTING)

Federal Status: Threatened

Species Description:

A shore bird with compact body, short neck, large eyes, dark legs and beak, dark partial neckband, males with black forehead and breast markings, females with dark brown markings. Calls include a low pitched "krut" and "ku-wheet."

Photo: Don Baccus

Habitat Description:

REQUIRES SANDY, GRAVELLY OR FRIABLE SOIL SUBSTRATE FOR NESTING. SANDY BEACHES ON MARINE AND ESTUARINE SHORES, ALSO SALT POND LEVEES AND THE SHORES OF LARGE ALKALI LAKES.

Hazard Class: AV

Sections	Species
17S21E: S25-26,32-36	San Joaquin Kit Fox
17S22E: S29-36	San Joaquin Kit Fox
18S19E: S17-18	Fresno Kangaroo Rat, San Joaquin Kit Fox
18S19E: S19	San Joaquin Kit Fox
18S19E: S20	Fresno Kangaroo Rat, San Joaquin Kit Fox
18S19E: S21-36	San Joaquin Kit Fox
18S19E: S3-16	San Joaquin Kit Fox
18S20E: S7,17-20,29-32	San Joaquin Kit Fox
18S21E: S1-5,8-17,20-29,31-36	San Joaquin Kit Fox
18S22E: S1-36	San Joaquin Kit Fox
18S23E: S4-9,16-21,28-31	San Joaquin Kit Fox
19S18E: S1	San Joaquin Kit Fox
19S19E: S1-12	San Joaquin Kit Fox
19S20E: S28	Tipton Kangaroo Rat
19S20E: S33-36	San Joaquin Kit Fox
19S20E: S5-6,23-27	San Joaquin Kit Fox
19S21E: S1-36	San Joaquin Kit Fox
19S22E: S1-35	San Joaquin Kit Fox
20S20E: S1-4,9-16,21-27,35-36	San Joaquin Kit Fox
20S21E: S1-4	San Joaquin Kit Fox
20S21E: S10-12	San Joaquin Kit Fox, Tipton Kangaroo Rat
20S21E: S13	San Joaquin Kit Fox
20S21E: S14-15	San Joaquin Kit Fox, Tipton Kangaroo Rat
20S21E: S16	San Joaquin Kit Fox
20S21E: S17-18	San Joaquin Kit Fox, Tipton Kangaroo Rat
20S21E: S19-36	San Joaquin Kit Fox
20S21E: S5	Blunt-nosed Leopard Lizard, San Joaquin Kit Fox
20S21E: S6	San Joaquin Kit Fox
20S21E: S7-8	San Joaquin Kit Fox, Tipton Kangaroo Rat
20S21E: S9	San Joaquin Kit Fox
20S22E: S2-11,14-22,27-34	San Joaquin Kit Fox
21S21E: S1-6,8-16,23-25	San Joaquin Kit Fox
21S22E: S3-30,32-36	San Joaquin Kit Fox
22S17E: S13-14	Blunt-nosed Leopard Lizard
22S17E: S15	San Joaquin Woollythreads
22S17E: S23-26	Blunt-nosed Leopard Lizard
22S17E: S33-34	California Jewel-flower
22S17E: S4	San Joaquin Woollythreads

Sections	Species
22S17E: S8,10	Blunt-nosed Leopard Lizard, San Joaquin Woollythreads
22S18E: S16	Blunt-nosed Leopard Lizard
22S18E: S17	Blunt-nosed Leopard Lizard, San Joaquin Woollythreads
22S18E: S18-19	Blunt-nosed Leopard Lizard
22S18E: S20	Blunt-nosed Leopard Lizard, San Joaquin Woollythreads
22S18E: S21-22	Blunt-nosed Leopard Lizard
22S18E: S24	San Joaquin Woollythreads
22S18E: S25	Blunt-nosed Leopard Lizard, San Joaquin Woollythreads
22S18E: S27-30,32-34,36	Blunt-nosed Leopard Lizard
22S18E: S8,13	San Joaquin Woollythreads
22S19E: S17-18	San Joaquin Woollythreads
22S19E: S19-20	Blunt-nosed Leopard Lizard, San Joaquin Kit Fox, San Joaquin Woollythreads
22S19E: S21-22,26-28	San Joaquin Kit Fox
22S19E: S29	Blunt-nosed Leopard Lizard, San Joaquin Kit Fox
22S19E: S30	Blunt-nosed Leopard Lizard, San Joaquin Kit Fox, San Joaquin Woollythreads
22S19E: S31	Blunt-nosed Leopard Lizard
22S19E: S32	Blunt-nosed Leopard Lizard, San Joaquin Kit Fox, San Joaquin Woollythreads
22S19E: S33-36	San Joaquin Kit Fox
22S22E: S1-4,10-14,24	San Joaquin Kit Fox
23S15E: S24	Steelhead Trout (CCV-ESU)
23S16E: S19,33	Steelhead Trout (CCV-ESU)
23S17E: S11-14	Blunt-nosed Leopard Lizard, San Joaquin Woollythreads
23S17E: S23	San Joaquin Woollythreads
23S17E: S24	Blunt-nosed Leopard Lizard, San Joaquin Woollythreads
23S17E: S3-5,8-10	California Jewel-flower
23S18E: S1-2	Blunt-nosed Leopard Lizard, San Joaquin Woollythreads
23S18E: S10-13	Blunt-nosed Leopard Lizard, San Joaquin Woollythreads
23S18E: S15-17	San Joaquin Woollythreads
23S18E: S18-19	Blunt-nosed Leopard Lizard, San Joaquin Woollythreads
23S18E: S20-22	San Joaquin Woollythreads
23S18E: S24	Blunt-nosed Leopard Lizard
23S18E: S3	Blunt-nosed Leopard Lizard
23S18E: S7	Blunt-nosed Leopard Lizard, San Joaquin Woollythreads
23S18E: S9	San Joaquin Woollythreads
23S19E: S1-4	San Joaquin Kit Fox
23S19E: S10	Blunt-nosed Leopard Lizard, San Joaquin Kit Fox
23S19E: S11-14	San Joaquin Kit Fox
23S19E: S15	Blunt-nosed Leopard Lizard, San Joaquin Kit Fox

Sections	Species
23S19E: S16	San Joaquin Kit Fox, San Joaquin Woollythreads
23S19E: S17-20	Blunt-nosed Leopard Lizard, San Joaquin Woollythreads
23S19E: S21-22	San Joaquin Kit Fox, San Joaquin Woollythreads
23S19E: S23-26	San Joaquin Kit Fox
23S19E: S27	Blunt-nosed Leopard Lizard, San Joaquin Kit Fox, San Joaquin Woollythreads
23S19E: S28	Blunt-nosed Leopard Lizard, San Joaquin Woollythreads
23S19E: S30	San Joaquin Woollythreads
23S19E: S33	Blunt-nosed Leopard Lizard
23S19E: S34	Blunt-nosed Leopard Lizard, San Joaquin Kit Fox, San Joaquin Woollythreads
23S19E: S35	Blunt-nosed Leopard Lizard, San Joaquin Kit Fox
23S19E: S36	San Joaquin Kit Fox
23S19E: S5	San Joaquin Kit Fox, San Joaquin Woollythreads
23S19E: S7-8	Blunt-nosed Leopard Lizard
23S19E: S9	San Joaquin Kit Fox
23S20E: S17	Blunt-nosed Leopard Lizard, San Joaquin Kit Fox
23S20E: S18-36	San Joaquin Kit Fox
23S20E: S7	San Joaquin Kit Fox
23S20E: S8	Blunt-nosed Leopard Lizard, San Joaquin Kit Fox
23S20E: S9-11,13-16	San Joaquin Kit Fox
23S21E: S31	San Joaquin Kit Fox
23S22E: S1,12-14,22-28,32-36	San Joaquin Kit Fox
24S16E: S9,22-23,35	Steelhead Trout (CCV-ESU)
24S17E: S33-34	California Jewel-flower
24S17E: S35-36	Blunt-nosed Leopard Lizard
24S18E: S12-13,24	Giant Kangaroo Rat
24S18E: S25,36	Blunt-nosed Leopard Lizard
24S19E: S1	San Joaquin Kit Fox
24S19E: S10	Blunt-nosed Leopard Lizard, Giant Kangaroo Rat
24S19E: S11-13	Giant Kangaroo Rat, San Joaquin Kit Fox
24S19E: S14	Blunt-nosed Leopard Lizard, Giant Kangaroo Rat, San Joaquin Kit Fox
24S19E: S15	Blunt-nosed Leopard Lizard, Giant Kangaroo Rat
24S19E: S16	Blunt-nosed Leopard Lizard
24S19E: S17-20	Giant Kangaroo Rat
24S19E: S2	Blunt-nosed Leopard Lizard, Giant Kangaroo Rat, San Joaquin Kit Fox
24S19E: S21	Blunt-nosed Leopard Lizard
24S19E: S22	Blunt-nosed Leopard Lizard, San Joaquin Woollythreads
24S19E: S23-25	San Joaquin Kit Fox
24S19E: S26	Blunt-nosed Leopard Lizard, San Joaquin Kit Fox

Sections	Species
24S19E: S27,30-32,34-35	Blunt-nosed Leopard Lizard
24S19E: S3	Blunt-nosed Leopard Lizard, Giant Kangaroo Rat
24S19E: S36	Blunt-nosed Leopard Lizard, San Joaquin Kit Fox, San Joaquin Woollythreads
24S19E: S4	Blunt-nosed Leopard Lizard
24S19E: S7-8	Giant Kangaroo Rat
24S19E: S9	Blunt-nosed Leopard Lizard
24S20E: S1-36	San Joaquin Kit Fox
24S21E: S1	Blunt-nosed Leopard Lizard, San Joaquin Kit Fox
24S21E: S10-15	Blunt-nosed Leopard Lizard, San Joaquin Kit Fox
24S21E: S16-36	San Joaquin Kit Fox
24S21E: S2-3	Blunt-nosed Leopard Lizard
24S21E: S6-9	San Joaquin Kit Fox
24S22E: S1	San Joaquin Kit Fox, Western Snowy Plover
24S22E: S10-11	Blunt-nosed Leopard Lizard, San Joaquin Kit Fox
24S22E: S12	San Joaquin Kit Fox, Western Snowy Plover
24S22E: S13-21	San Joaquin Kit Fox
24S22E: S2-9	San Joaquin Kit Fox
24S22E: S22-23	Blunt-nosed Leopard Lizard, San Joaquin Kit Fox
24S22E: S24	San Joaquin Kit Fox
24S22E: S25	San Joaquin Kit Fox, Western Snowy Plover
24S22E: S26-28	San Joaquin Kit Fox
24S22E: S29-30	San Joaquin Kit Fox, Tipton Kangaroo Rat
24S22E: S31-33	Blunt-nosed Leopard Lizard, San Joaquin Kit Fox, Tipton Kangaroo Rat
24S22E: S34-35	San Joaquin Kit Fox
24S22E: S36	San Joaquin Kit Fox, Western Snowy Plover